

Building Code	Currently Adopted Version	Can use Tempered Glass?	Cap/Handrail Required?
NYC	<u>2014 NYC BC</u> Adopted 12/31/14	<u>Yes.</u>	<u>Yes.</u> Except for laminated glass may not be required when approved by the department.
NY	<u>2020 NY BC</u> Adopted 05/12/20	<u>No.</u> Except permitted where there is no walking surface beneath them or the walking surface is permanently protected from the risk of falling glass. No in WBDR.	<u>Yes.</u> Except for laminated glass may not be required when tested in accordance with ASTM E2353.
NJ	<u>2018 NJ BC</u> Adopted 09/03/19	<u>No.</u> Except permitted where there is no walking surface beneath them or the walking surface is permanently protected from the risk of falling glass. No in WBDR.	<u>Yes.</u> Except for laminated glass may not be required when tested in accordance with ASTM E2353.
CT	<u>2015 IBC & 2018 CT Supplement</u> Adopted 10/01/18	<u>No.</u> Except permitted where there is no walking surface beneath them or the walking surface is permanently protected from the risk of falling glass. No in WBDR.	<u>Yes.</u> Except for laminated glass may not be required when approved by building official.
IBC	<u>2021 IBC</u> Adoption based on States	<u>No.</u> Except permitted where there is no walking surface beneath them or the walking surface is permanently protected from the risk of falling glass. No in WBDR.	<u>Yes.</u> Except for laminated glass may not be required when tested in accordance with ASTM E2353.